Capability List AAR/ART Repair Station M52R952N

Manufacturer Nomenclature	Make	Model	Limitation	Program Classification	Date
Assembly - Remote Access Control Panel	TIMCO Aerosystems	P/N: 01T023A527-3 Series	None	Avionics & Electrical	6/15/2026
Assembly - Keypad	TIMCO Aerosystems	P/N: 01T023A527-7 Series	None	Avionics & Electrical	6/15/2026
Detailed – Antenna Adapter	TIMCO Aerosystems	P/N: 08T008A032 Series	None	Integration	6/15/2026
Detailed – Antenna Adapter	TIMCO Aerosystems	P/N: STR111D0003-Series	None	Integration	6/15/2026
Aircraft Adapter Plate Assembly	TIMCO Aerosystems	P/N: STR111D0004-Series	None	Integration	6/15/2026
Aircraft Adapter Plate Assembly	HAECO Cabin Solutions	P/N: STR111D0005-Series	None	Integration	6/15/2026
Aircraft Adapter Plate Assembly	HAECO Cabin Solutions	P/N: STR111D0007-Series	None	Integration	6/15/2026

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 19/June/26

Limited rating under which work can be performed: Airframe

Limitations on repair station certificate or on work to be performed: Repair/Overhaul

Capability List to which article will be added: Capabilty List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: Assembly- Keypad

Make / Model / Part Number: 01T023A527-7 Series

Program Classification: VARIOUS SERIES

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: Delta ERA 504760-14MT as revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: As Required

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: Delta ERA 504760-14MT as revised

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: Delta ERA 504760-14MT as revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended Delta ERA 504760-14MT as revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Stuctural/Composite repair processes

Inspector: Trained on Inspection Technics of Structural/Composite repair processes

Supervisor: Thorough knowledge or prior experience in Structural/Composite repair processes

Person Authorized to Approve Return to Service: Authorized Inspector on Repair Station roster

QUALIFIED PERSONNEL

Technician(s): Brian Connors 116080

Inspector(s): Dan Lathan 113520

Supervisor(s): Thomas Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector on Repair Station

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature:

Title: Director of Operations

Date: 15/JUN/2024

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Materials, Tools, and Equipment List				
Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 19/June/26

Limited rating under which work can be performed: Airframe

Limitations on repair station certificate or on work to be performed: Repair/Overhaul

Capability List to which article will be added: Capabilty List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: Assembly-Door Remote Access System

Make / Model / Part Number: 01T023A527-3 Series

Program Classification: Various Series

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: Delta ERA 504760-14MT as revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: Color Code

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: Delta ERA 504760-14MT as revised

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: Delta ERA 504760-14MT as revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended Delta ERA 504760-14MT as revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Stuctural/Composite repair processes

Inspector: Trained on Inspection Technics of Structural/Composite repair processes

Supervisor: Thorough knowledge or prior experience in Structural/Composite repair processes

Person Authorized to Approve Return to Service: Authorized Inspector on Repair Station roster

QUALIFIED PERSONNEL

Technician(s): Brian Connors 116080

Inspector(s): Dan Lathan 113520

Supervisor(s): Thomas Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector on Repair Station

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature:

Title: Director of Operations

Date: 15/JUN/2026

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Materials, Tools, and Equipment List				
Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 17JUN26

Limited rating under which work can be performed: AIRFRAME

Limitations on repair station certificate or on work to be performed: REPAIR/OVERHAUL

Capability List to which article will be added: Capability List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: ADAPTER PLATE & SKIRT ASSY

Make / Model / Part Number: STR111A0007-Series

Program Classification: VARIOUS SERIES

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: ZIM CMM as Revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: As Required

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: 44-20-00 Pg 801

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: ZIM CMM as Revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended ZIM CMM as Revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Structural/Composite repair processes and proceedures.

Inspector: Trained on Inspection techniques of Structural/Composite repair processes and prior experience.

Supervisor: Thorough knowledge or prior experience of Structural/Composite repair processes/proceedures.

Person Authorized to Approve Return to Service: Authorized Inspector identified on Repair Station roster.

QUALIFIED PERSONNEL

Technician(s): Omar Alsuhaibah 70394

Inspector(s): Dan Lathan 113520

Supervisor(s): Scott Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector identified on Repair Station roster.

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature: [signature]

Title: Director of Operations

Date: 15/JUN/2024

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Materials, Tools, and Equipment List

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 17JUN26

Limited rating under which work can be performed: AIRFRAME

Limitations on repair station certificate or on work to be performed: REPAIR/OVERHAUL

Capability List to which article will be added: Capability List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: ADAPTER PLATE & SKIRT ASSY

Make / Model / Part Number: STR111A0005-Series

Program Classification: VARIOUS SERIES

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: ZIM CMM as Revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: As Required

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: 44-20-00 Pg 801

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: ZIM CMM as Revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended ZIM CMM as Revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Structural/Composite repair processes and proceedures.

Inspector: Trained on Inspection techniques of Structural/Composite repair processes and prior experience.

Supervisor: Thorough knowledge or prior experience of Structural/Composite repair processes/proceedures.

Person Authorized to Approve Return to Service: Authorized Inspector identified on Repair Station roster.

QUALIFIED PERSONNEL

Technician(s): Omar Alsuhaibah 70394

Inspector(s): Dan Lathan 113520

Supervisor(s): Scott Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector identified on Repair Station roster.

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature:

Title: Director of Operations

Date: 15/JUN/2026

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Materials, Tools, and Equipment List

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 17JUN26

Limited rating under which work can be performed: AIRFRAME

Limitations on repair station certificate or on work to be performed: REPAIR/OVERHAUL

Capability List to which article will be added: Capability List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: ADAPTER PLATE & SKIRT ASSY

Make / Model / Part Number: STR111A0004-Series

Program Classification: VARIOUS SERIES

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: ZIM CMM as Revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: As Required

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: 44-20-00 Pg 801

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: ZIM CMM as Revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended ZIM CMM as Revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Structural/Composite repair processes and proceedures.

Inspector: Trained on Inspection techniques of Structural/Composite repair processes and prior experience.

Supervisor: Thorough knowledge or prior experience of Structural/Composite repair processes/proceedures.

Person Authorized to Approve Return to Service: Authorized Inspector identified on Repair Station roster.

QUALIFIED PERSONNEL

Technician(s): Omar Alsuhaibah 70394

Inspector(s): Dan Lathan 113520

Supervisor(s): Scott Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector identified on Repair Station roster.

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature:

Title: Director of Operations

Date: 15/JUN/

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Materials, Tools, and Equipment List

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 17JUN26

Limited rating under which work can be performed: AIRFRAME

Limitations on repair station certificate or on work to be performed: REPAIR/OVERHAUL

Capability List to which article will be added: Capability List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: ADAPTER PLATE & SKIRT ASSY

Make / Model / Part Number: STR111A0003-Series

Program Classification: VARIOUS SERIES

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: ZIM CMM as Revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: As Required

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: 44-20-00 Pg 801

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: ZIM CMM as Revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended ZIM CMM as Revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Structural/Composite repair processes and proceedures.

Inspector: Trained on Inspection techniques of Structural/Composite repair processes and prior experience.

Supervisor: Thorough knowledge or prior experience of Structural/Composite repair processes/proceedures.

Person Authorized to Approve Return to Service: Authorized Inspector identified on Repair Station roster.

QUALIFIED PERSONNEL

Technician(s): Omar Alsuhaibah 70394

Inspector(s): Dan Lathan 113520

Supervisor(s): Scott Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector identified on Repair Station roster.

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature:

Title: Director of Operations

Date: 15/JUN/2024

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Materials, Tools, and Equipment List

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

815 RADAR ROAD, Greensboro, NC 27410 RSID: M52R952N

Name: Carlton Bray Title: Director of Operations Date: 18JUN26

Limited rating under which work can be performed: AIRFRAME

Limitations on repair station certificate or on work to be performed: REPAIR/OVERHAUL

Capability List to which article will be added: Capability List ASR-0010

ARTICLE DESCRIPTION

Article Name / Nomenclature: PLATE ASSY-ADAPTER

Make / Model / Part Number: 08T008A032-Series

Program Classification: VARIOUS SERIES

EVALUATION

MAINTENANCE DATA

Manual(s) required to perform work: ZIM CMM as Revised

Service Bulletin(s) required to perform work: As Required

Applicable Airworthiness Directive(s): As Required

Specific air carrier / customer instructions: As Required

☒ All maintenance data is available

HOUSING AND FACILITIES

Manual page(s) listing recommended housing or facilities: 44-20-00 Pg 801

☒ No change to housing / facility required ☐ Change(s) to housing / facilities must be instituted ☐ Change(s) to housing / facility completed ☐ Change to Repair Station Manual completed

MATERIALS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended tools: ZIM CMM as Revised

☐ None recommended ☒ Material(s) recommended available

TOOLS (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Manual page(s) listing recommended ZIM CMM as Revised

☐ None recommended ☒ Tools recommended by manufacturer are available ☐ Tools recommended will be substituted and equivalency report is complete

EQUIPMENT (COMPLETE MATERIALS, TOOLS, AND EQUIPMENT LIST)

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Manual page(s) listing recommended equipment:

☐ None recommended ☒ Equipment recommended by manufacturer is available ☐ Equipment recommended will be substituted and equivalency report is complete

KNOWLEDGE REQUIRED

Technician: Basic knowledge or prior experience in Structural/Composite repair processes and proceedures.

Inspector: Trained on Inspection techniques of Structural/Composite repair processes and prior experience.

Supervisor: Thorough knowledge or prior experience of Structural/Composite repair processes/proceedures.

Person Authorized to Approve Return to Service: Authorized Inspector identified on Repair Station roster.

QUALIFIED PERSONNEL

Technician(s): Omar Alsuhaibah 70394

Inspector(s): Dan Lathan 113520

Supervisor(s): Scott Hayworth 113163

Person(s) Authorized to Approve for Return to Service: Authorized Inspector identified on Repair Station roster.

☒ Personnel Available ☒ Training complete for each person listed ☒ Training and employment records verified for each person listed

APPROVAL

☒ Approved ☐ Not Approved

Signature: Carl Ry

Title: Director of Operations

Date: 15/JUN/2026

Reason(s) for disapproval and corrective action taken (if applicable):

☐ Approved after corrective action

Signature: Title:

Date:

Materials, Tools, and Equipment List

Capability List Self Evaluation

Doc No: ASR-0009 **Revision:** IR **Date:** 25 Jul 2024

Nomenclature	Part Number / Cage Code (A/R)	Manual Reference	QTY Required	QTY On-Hand